



2022 PRODUCTS

GLOBAL





SPORT



SYSTEM H7

UNPARALLELED OPTICAL PERFORMANCE

The ultimate optics contained in only our most advanced riflescopes. The Best.

SYSTEM H5

IMMERSIVE WIDE ANGLE OPTICS

High performance optics comprising ultra-wide angle and long eye relief. The professional's choice.

FRONTIER

RIFLESOPES

| | |
|-------------------|---|
| ● FRONTIER 34 FFP | 6 |
| FRONTIER 30 FFP | 7 |
| FRONTIER 30 SF | 7 |
| FRONTIER 30 | 8 |
| FRONTIER SF | 9 |

SIDEWINDER

RIFLESOPES

| | |
|-------------------|----|
| SIDEWINDER 30 FFP | 10 |
| SIDEWINDER 30 SF | 11 |

ENDURANCE

RIFLESOPES

| | |
|--------------------|----|
| ENDURANCE 30 WA SF | 12 |
| ENDURANCE 30 WA | 13 |

SYSTEM H2

REDEFINING VALUE OPTICS

Our premium optics for a wide range of scopes transversing many disciplines. Dependable, Accurate, Affordable.

VANTAGE

RIFLESCOPES

| | |
|----------------------|----|
| VANTAGE 30 WA FFP IR | 14 |
| VANTAGE 30 WA SF IR | 15 |
| ● VANTAGE 30 WA IR | 15 |
| ● VANTAGE IR | 16 |
| VANTAGE SF | 17 |
| VANTAGE | 18 |

AIRMAX

AIRGUN SCOPES

| | |
|-------------------------|----|
| AIRMAX 30 WA FFP | 20 |
| ● AIRMAX 30 WA SF | 21 |
| AIRMAX 30 WA TOUCH | 21 |
| AIRMAX 30 WA SF COMPACT | 22 |
| AIRMAX WA | 22 |

XB

| | |
|-----------------|----|
| CROSSBOW SCOPES | 24 |
|-----------------|----|

RED DOT SIGHTS

| | |
|----------|----|
| TUBE | 36 |
| ● REFLEX | 37 |

LASER RANGE FINDERS

| | |
|-----------|----|
| ENDURANCE | 38 |
| VANTAGE | 39 |
| LRF | 39 |

RING MOUNTS

| | |
|-----------|----|
| STEEL | 40 |
| ALUMINIUM | 42 |

ACCESSORIES

| | |
|----------------|----|
| SUNSHADES | 48 |
| FLIP-UP COVERS | 49 |
| SIDE WHEELS | 50 |
| LASERS & LED'S | 51 |
| BIPODS & RESTS | 51 |

FRONTIER SYSTEM H7

Nineteen models in a variety of magnifications and reticle designs offer supreme accuracy for rifle shooting, driven and hunting applications.

All models feature Hawke's H7 optics with high zoom ratio, supreme clarity and light transmission.

Available in First Focal Plane (FFP) and Second Focal Plane (SFP).

Wide Angle FOV / High volume eyepiece / 100mm eye relief / Multi-LED high intensity reticle / Exposed Zero Lock 'n' Stop elevation turret or no-sag capped turrets / High grade, low dispersion Crown glass / 21 layer Fully Multi-Coated lenses / Zoom magnification throw lever (removable) / Fast focus eyepiece with lock ring

Supplied with Professional metal flip-up covers.

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



FRONTIER 34 FFP

Exposed, Zero Lock 'n' Stop Turret | First Focal Plane | 34mm Side Focus | Illumination



- 18 620 3-18x50 SF FFP Mil Pro Ext. (18x)
- 18 621 3-18x50 SF FFP MOA Pro Ext. (18x)
- 18 640 5-30x56 SF FFP Mil Pro Ext. (30x)
- 18 641 5-30x56 SF FFP MOA Pro Ext. (30x)

18 640 SHOWN



FRONTIER 30 FFP

Exposed, Zero Lock 'n' Stop Turret | First Focal Plane | 30mm
Side Focus | Illumination



18 520 3-15x50 SF FFP Mil Pro (15x)

18 530 4-20x50 SF FFP Mil Pro (20x)

18 540 5-25x56 SF FFP Mil Pro (25x)

18 540 SHOWN

FRONTIER 30 SF

Exposed, Zero Lock 'n' Stop Turret | 30mm | Side Focus
Illumination



18 420 2.5-15x50 SF LR Dot (8x)

18 421 2.5-15x50 SF Mil Pro (10x)

18 430 4-24x50 SF LR Dot (16x)

18 431 4-24x50 SF Mil Pro (20x)

18 440 5-30x56 SF LR Dot (16x)

18 441 5-30x56 SF Mil Pro (20x)

18 441 SHOWN



FRONTIER 30

Exposed, Zero Lock 'n' Stop Turret | 30mm | Illumination



18 402 1-6x24 Tactical Dot (6x)

FRONTIER 30

Capped Low-Profile Turrets | 30mm | Illumination



18 400 1-6x24 L4A Dot

18 401 1-6x24 Circle Dot



FRONTIER SF

Exposed, Zero Lock 'n' Stop Turret | 1 Inch | Side Focus
Illumination



18 120 3-15x44 SF Mil Pro (10x)

18 130 4-20x44 SF Mil Pro (20x)

18 140 5-25x50 SF Mil Pro (20x)

18 130 SHOWN

SIDEWINDER SYSTEM H5

Our best selling scope just got better!

Sidewinder is the must-have high performance multi-discipline scope. Parallax-free shooting from 9 metres to infinity assisted by an index matched rangefinding side wheel (removable).

All models feature Hawke's H5 optics which boasts a stunning 24° ultra-wide field of view with generous 100mm eye relief. Precision locking turrets with 1/10 MRAD or 1/4 MOA clicks, now feature a witness window giving you an instant visual guide to your turret's position.

Available in First Focal Plane (FFP) and Second Focal Plane (SFP).

Ultra-wide Angle 24° FOV / High volume eyepiece / 100mm eye relief / Resettable locking turrets with witness window / Side wheel - index-matched (removable) / Multi-LED high intensity reticle / High grade, low dispersion Crown glass / 18 layer Fully Multi-Coated lenses / Zoom magnification throw lever (removable) / Fast focus eyepiece with lock ring

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



SIDEWINDER 30 FFP

Exposed, Locking Turrets | First Focal Plane | 30mm Wide Angle | Side Focus | Illumination



17 450 4-16x50 SF FFP Half Mil

17 451 4-16x50 SF FFP MOA

17 460 6-24x56 SF FFP Half Mil

17 461 6-24x56 SF FFP MOA

17 460 SHOWN



SIDEWINDER 30 SF

Exposed, Locking Turrets | 30mm | Wide Angle
Side Focus | Illumination



17 140 4.5-14x44 SF 10x Half Mil

17 150 6.5-20x44 SF 20x Half Mil

17 250 4-16x50 SF 10x Half Mil

17 251 4-16x50 SF SR Pro II

17 260 6-24x56 SF 20x Half Mil

17 261 6-24x56 SF SR Pro II

17 270 8-32x56 SF 20x Half Mil

17 271 8-32x56 SF SR Pro II

17 260 SHOWN

ENDURANCE SYSTEM H5

Designed for all hunting disciplines - from varmint to big game.

All models feature Hawke's H5 optics which boasts a stunning 24° ultra-wide field of view with generous 100mm eye relief. The H5 illumination system features multi-LED technology for high intensity illumination.

Available in MOA or MRAD (16 301), exposed locking or low-profile turrets.

Ultra-wide Angle 24° FOV / High volume eyepiece / 100mm eye relief / Multi-LED high intensity reticle / High grade, low dispersion Crown glass / 18 layer Fully Multi-Coated lenses / High torque rubber zoom ring / Fast focus eyepiece

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



ENDURANCE 30 WA SF

Exposed, Locking Turrets | 30mm | Wide Angle | Side Focus Illumination



| | | |
|--------|------------|--------------------------|
| 16 350 | 4-16x50 SF | LR Dot (8x) |
| 16 351 | 4-16x50 SF | .223/.308 Marksman (16x) |
| 16 352 | 4-16x50 SF | LRC (16x) |
| 16 360 | 6-24x50 SF | LR Dot (16x) |
| 16 361 | 6-24x50 SF | .223/.308 Marksman (24x) |
| 16 362 | 6-24x50 SF | LRC (24x) |

16 360 SHOWN



ENDURANCE 30 WA

Exposed, Locking Turrets | 30mm | Wide Angle | Illumination



| | | |
|--------|--------|-------------------|
| 16 301 | 1-4x24 | Tactical Dot (4x) |
|--------|--------|-------------------|

| | | |
|--------|-----------|-----------|
| 16 321 | 2.5-10x50 | LRC (10x) |
|--------|-----------|-----------|

| | | |
|--------|---------|-----------|
| 16 331 | 3-12x56 | LRC (12x) |
|--------|---------|-----------|

16 331 SHOWN

ENDURANCE 30 WA

Capped Low-Profile Turrets | 30mm | Wide Angle
Illumination



| | | |
|--------|--------|---------|
| 16 300 | 1-4x24 | L4A Dot |
|--------|--------|---------|

| | | |
|--------|----------|---------|
| 16 310 | 1.5-6x44 | L4A Dot |
|--------|----------|---------|

| | | |
|--------|-----------|-------------|
| 16 320 | 2.5-10x50 | LR Dot (8x) |
|--------|-----------|-------------|

| | | |
|--------|---------|-------------|
| 16 330 | 3-12x56 | LR Dot (8x) |
|--------|---------|-------------|

16 300 SHOWN

VANTAGE SYSTEM H2

An extensive range of scopes to suit all calibres and disciplines.

All Vantage riflescopes feature our H2 optics in a variety of configurations including 30mm FFP models as well as reticles designed specifically for slug guns, .223/.308 calibre and rimfire rifles.

IR models feature precision glass etched reticles with multi-stage illumination in both red and green.

30mm and 1 inch models / First Focal Plane options / Wide Angle FOV (30mm models) / Illuminated glass reticles (IR models) / Choice of precise locking or capped turrets / 11 layer Fully Multi-Coated lenses / High torque zoom ring / Fast focus eyebell

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



VANTAGE 30 WA FFP IR

Exposed, Locking Turrets | First Focal Plane | 30mm Wide Angle | Side Focus | Illumination



14 300 4-16x50 SF FFP Half Mil Dot

14 304 6-24x50 SF FFP Half Mil Dot

14 304 SHOWN



VANTAGE 30 WA SF IR

Exposed, Locking Turrets | 30mm | Wide Angle | Side Focus Illumination



14 293 4-16x50 SF Rimfire .22 LR Subsonic (16x)

14 294 4-16x50 SF Rimfire .17 HMR (16x)

14 295 4-16x50 SF Rimfire .22 LR HV (16x)

14 296 4-16x50 SF 10x Half Mil Dot

14 297 6-24x50 SF 10x Half Mil Dot

14 297 SHOWN

VANTAGE 30 WA IR

Exposed, Locking Turrets | 30mm | Wide Angle | Illumination



14 277 3-9x42 .223/.308 Marksman (9x)

● 14 278 4-12x42 .223/.308 Marksman (12x)



VANTAGE 30 WA IR

Capped Low-Profile Turrets | 30mm | Wide Angle Illumination



| | | |
|--------|--------|---------|
| 14 273 | 1-4x24 | L4A Dot |
|--------|--------|---------|

| | | |
|--------|----------|---------|
| 14 276 | 1.5-6x44 | L4A Dot |
|--------|----------|---------|

| | | |
|--------|-----------|---------|
| 14 274 | 2.5-10x50 | L4A Dot |
|--------|-----------|---------|

| | | |
|--------|---------|---------|
| 14 275 | 3-12x56 | L4A Dot |
|--------|---------|---------|

14 273 SHOWN

VANTAGE IR

Capped Low-Profile Turrets | 1 Inch | Illumination



| | | |
|--------|--------|------------|
| 14 209 | 2-7x32 | Mil Dot IR |
|--------|--------|------------|

| | | |
|--------|-----------|------------|
| 14 211 | 2-7x32 AO | Mil Dot IR |
|--------|-----------|------------|

| | | |
|----------|--------|---------|
| ● 14 218 | 3-9x40 | L4A Dot |
|----------|--------|---------|

| | | |
|--------|--------|-----------------------|
| 14 219 | 3-9x40 | Slug Gun/Muzzleloader |
|--------|--------|-----------------------|

| | | |
|--------|--------|--------------------|
| 14 220 | 3-9x40 | 30/30 Centre Cross |
|--------|--------|--------------------|

| | | |
|--------|--------|------------|
| 14 221 | 3-9x40 | Mil Dot IR |
|--------|--------|------------|

| | | |
|--------|--------|------------------------|
| 14 222 | 3-9x40 | Rimfire .22 LR HV (9x) |
|--------|--------|------------------------|

| | | |
|--------|--------|------------------------------|
| 14 223 | 3-9x40 | Rimfire .22 LR Subsonic (9x) |
|--------|--------|------------------------------|

| | | |
|--------|-----------|------------|
| 14 225 | 3-9x40 AO | Mil Dot IR |
|--------|-----------|------------|

| | | |
|----------|--------|---------|
| ● 14 229 | 3-9x50 | L4A Dot |
|----------|--------|---------|

| | | |
|--------|--------|------------|
| 14 230 | 3-9x50 | Mil Dot IR |
|--------|--------|------------|

| | | |
|--------|-----------|------------|
| 14 232 | 3-9x50 AO | Mil Dot IR |
|--------|-----------|------------|

CONT.



VANTAGE SF

Capped Low-Profile Turrets | 1 Inch | Side Focus



CONT.

| | | |
|--------|------------|-------------------------------|
| 14 241 | 4-12x40 AO | Rimfire .17 HMR (12x) |
| 14 242 | 4-12x40 AO | Rimfire .22 WMR |
| 14 250 | 4-12x50 | Mil Dot IR |
| 14 251 | 4-12x50 | Rimfire .22 LR Subsonic (12x) |
| 14 254 | 4-12x50 | L4A Dot |
| 14 252 | 4-12x50 AO | Mil Dot IR |
| 14 260 | 4-16x50 AO | Mil Dot IR |
| 14 261 | 4-16x50 AO | Rimfire .17 HMR (16x) |
| 14 265 | 6-24x50 AO | Mil Dot IR |

14 265 SHOWN

| | | |
|--------|------------|--------------|
| 14 160 | 3-12x44 SF | Half Mil Dot |
| 14 161 | 4-16x44 SF | Half Mil Dot |
| 14 162 | 6-24x44 SF | Half Mil Dot |

14 162 SHOWN



VANTAGE

Capped Low-Profile Turrets | 1 Inch



| | | |
|--------|-----------|--------------|
| 14 100 | 4x32 | 30/30 Duplex |
| 14 101 | 4x32 | Mil Dot |
| 14 102 | 4x32 AO | Mil Dot |
| 14 110 | 2-7x32 | 30/30 Duplex |
| 14 111 | 2-7x32 AO | Mil Dot |
| 14 120 | 3-9x40 | 30/30 Duplex |
| 14 121 | 3-9x40 | Mil Dot |
| 14 122 | 3-9x40 AO | 30/30 Duplex |
| 14 123 | 3-9x40 AO | Mil Dot |
| 14 130 | 3-9x50 | 30/30 Duplex |
| 14 131 | 3-9x50 | Mil Dot |
| 14 133 | 3-9x50 AO | Mil Dot |

CONT.

| | | |
|--------|------------|--------------|
| 14 139 | 4-12x40 | 30/30 Duplex |
| 14 140 | 4-12x40 AO | 30/30 Duplex |
| 14 141 | 4-12x40 AO | Mil Dot |
| 14 150 | 4-12x50 | 30/30 Duplex |

14 140 SHOWN

CONT.



further information available at hawkeoptics.com

VANTAGE 19

AIRMAX SYSTEM H2

Specialist scopes designed by airgunners for airgunners!

Airmax scopes feature our H2 optics in a variety of configurations designed to suit airgun characteristics and are available in First Focal Plane (FFP) and Second Focal Plane (SFP).

The Airmax 30 WA Touch offers an unbelievable 37° FOV; unrivalled in sport optics. With zero eye relief, Airmax 30 WA Touch is ideal for PCP air rifles.

30mm and 1 inch models / Wide Angle or Super Wide Angle FOV / Illuminated glass reticles (IR models) / Choice of capped target or low-profile turrets / 16 layer Fully Multi-Coated lenses / High torque zoom ring / Fast focus eyeball / Side wheel (removable) / AMX reticle designed for airguns

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



AIRMAX 30 WA FFP

Capped Target Turrets | First Focal Plane | 30mm
Wide Angle | Side Focus | Illumination



13 350 4-16x50 SF FFP AMX IR

13 352 6-24x50 SF FFP AMX IR

13 352 SHOWN



AIRMAX 30 WA SF

Capped Target Turrets | 30mm | Wide Angle | Side Focus | Illumination



- 13 305 10x44 SF AMX IR
- 13 311 4-16x50 SF AMX IR
- 13 321 6-24x50 SF AMX IR
- 13 341 8-32x50 SF AMX IR

13 341 SHOWN

AIRMAX 30 WA TOUCH

Capped Target Turrets | Zero Eye Relief | 30mm Super Wide Angle | Side Focus | Illumination



- 13 260 3-12x32 SF AMX IR



AIRMAX 30 WA SF COMPACT

Capped Target Turrets | 30mm | Wide Angle | Side Focus Illumination



13 200 3-12x40 SF AMX IR

13 210 4-16x44 SF AMX IR

13 220 6-24x50 SF AMX IR

13 220 SHOWN

AIRMAX WA

Capped Low-Profile Turrets | 1 Inch | Wide Angle



13 100 2-7x32 AO AMX

13 110 3-9x40 AO AMX

13 130 4-12x40 AO AMX

13 140 4-12x50 AO AMX

13 140 SHOWN



further information available at hawkeoptics.com

AIRMAX 23

XB SYSTEM H2

We didn't invent crossbow optics...
We perfected them.

Scopes designed to withstand the rigours of crossbows with reticle systems guaranteed to make you a better shot!

XB scopes feature our vari-speed technology allowing any bow to be dialled in to create unsurpassed accuracy. A locking speed adjuster ring (XB30 Compact) ensures the FPS is not changed once zeroed.

30mm and 1 inch models / Illuminated glass reticles / 1/2 MOA low-profile fingertip turrets / Fixed parallax at 45 metres / 11 layer Fully Multi-Coated lenses / High torque zoom ring / Fast focus eyepiece

Nitrogen purged / Shockproof / Waterproof / Fog proof

Hawke Lifetime Warranty



XB30 PRO

Capped Low-Profile Turrets | 30mm | Illumination



12 230 1-5x24

XB30 Pro SR



XB30 COMPACT

Capped Low-Profile Turrets | 30mm | Wide Angle
Locking Zoom | Illumination



12 226 1.5-6x36 XB30 Compact SR

12 227 2-8x36 XB30 Compact SR

12 227 SHOWN

XB1 & XB

Capped Low-Profile Turrets | 1 Inch | Illumination



12 221 1.5-5x32 XB1 SR


12 211 3x32 XB SR

12 221 SHOWN


FRONTIER RETICLES

Designed for unparalleled accuracy in long-distance shooting. A selection of fine detailed laser etched Mil-spaced reticles in first and second focal planes create the perfect aimpoint for target disciplines. Bolder L4 style reticles offer the seasoned hunter a bolder crosshair for guaranteed success.


MIL PRO (10x)




MIL PRO (20x)




FFP MIL PRO EXT. (18x)




FFP MIL PRO EXT. (30x)




FFP MOA PRO EXT. (18x)




FFP MOA PRO EXT. (30x)




FFP MIL PRO (15x)




FFP MIL PRO (20x)




FFP MIL PRO (25x)




TACTICAL DOT (6x)




LR DOT (8x)




LR DOT (16x)



L4A DOT




CIRCLE DOT




SIDEWINDER RETICLES

Lethally sharp, multiple aimpoint reticles ensure you are ready for any situation. The Sidewinder series have reticles that deliver precise and detailed aimpoints for holdover, ranging and windage corrections. A selection of first and second focal plane optical systems stretch the boundary of what is possible in these long range optics of choice.


FFP HALF MIL




FFP MOA




SR PRO II



10x HALF MIL




20x HALF MIL




ENDURANCE RETICLES

Bold and strong reticles for the modern hunter. The Endurance series offer reticles that are clear and simple to keep more of the target visible while aiming. A selection of L4 style reticles and calibre specific reticles ensure quick target acquisition when every second counts.


.223/.308 MARKSMAN (16x)




LR DOT (8x)



.223/.308 MARKSMAN (24x)




LR DOT (16x)




ENDURANCE RETICLES


TACTICAL DOT (4x)




LRC (10x)




LRC (12x)




L4A DOT



LRC (16x)




LRC (24x)




VANTAGE RETICLES

A diverse selection of reticles offer the Vantage series a match for all shooting disciplines. Mil Dot, Duplex and L4 style reticles offer familiar classics, while the calibre specific reticles enter new territory for shooters wanting unbeatable accuracy.


RIMFIRE .22 LR
SUBSONIC (9x)




RIMFIRE .22 LR
SUBSONIC (16x)



RIMFIRE .22 LR
SUBSONIC (12x)




RIMFIRE .22 WMR




VANTAGE RETICLES


RIMFIRE .17 HMR (12x)




RIMFIRE .22 LR HV (9x)




FFP HALF MIL DOT




10x HALF MIL DOT




RIMFIRE .17 HMR (16x)




RIMFIRE .22 LR HV (16x)




.223/.308 MARKSMAN (9x)




HALF MIL DOT




L4A DOT




MIL DOT IR




30/30 CENTRE CROSS




SLUG GUN/MUZZLELOADER



MIL DOT




30/30 DUPLEX




AIRMAX RETICLES

The renowned AMX reticle features in all Airmax models, making this series of riflescopes a family to be recognised. Available in first and second focal plane optical systems, the AMX has etchings for holdover, windage corrections and outer brackets for distance ranging. The multiple aimpoints based on Mil spacing offer reliability when shooting air guns with loopy trajectories.


AMX IR



AMX




FFP AMX IR




XB RETICLES

Reticles designed specifically for crossbows and their arrow trajectories. The XB reticles are laser etched for precision and engraved with distance markings to match your crossbow. Select your bow speed on the magnification ring and find instant accuracy on these hunting and target mastered optics.


XB30 PRO SR




XB1 SR



XB30 COMPACT SR



XB SR



RED DOT SIGHTS

A wide range of red dot sights in both tube and reflex style in 3 MOA.

Endurance red dots are supplied with high quick release and low-profile weaver mounts.

Parallax error free from 9 metres / Ultra compact / Ideal for use on Pistols, ARs and hunting rifles / Digital brightness options / Auto brightness options

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Two Year Warranty



ENDURANCE

Monotube Red Dot with Digital Control



| | | | |
|--------|------|-----------|-------------|
| 12 127 | 1x25 | 3 MOA Dot | Weaver Rail |
| 12 128 | 1x30 | 3 MOA Dot | Weaver Rail |



VANTAGE

Monotube Red Dot



| | | | |
|--------|------|-----------|-------------|
| 12 102 | 1x20 | 3 MOA Dot | Weaver Rail |
| 12 103 | 1x25 | 3 MOA Dot | Weaver Rail |
| 12 104 | 1x30 | 3 MOA Dot | Weaver Rail |
| 12 105 | 1x20 | 3 MOA Dot | 9-11mm Rail |
| 12 106 | 1x25 | 3 MOA Dot | 9-11mm Rail |
| 12 107 | 1x30 | 3 MOA Dot | 9-11mm Rail |

REFLEX

Single Piece Construction with Digital Control



| | | |
|----------|------------------------|-------------|
| 12 141 | 3 MOA Dot | Weaver Rail |
| 12 144 | 3 MOA Dot (Wide View) | Weaver Rail |
| ● 12 145 | Circle Dot (Wide View) | Weaver Rail |

LASER RANGE FINDERS

Accurate distance measurement at the press of a button!

Choose from various display qualities: Illuminated OLED (Endurance), high light transmission LCD (Vantage), standard LCD (LRF).

Endurance and Vantage models have Distance, Horizontal Distance, Angle Compensation, Rain and Hunt modes.

LRF models have Distance, Rain, Hunt and Flag modes.

6x magnification / Adjustable dioptre / Wide angle / Accuracy ± 1 metre / Auto shut off

Water resistant / Fog proof

Hawke Two Year Warranty



ENDURANCE

Red Illuminated OLED display



| | | |
|--------|-------------|---------|
| 41 210 | Model: 700 | 5-700m |
| 41 211 | Model: 1000 | 5-1000m |
| 41 212 | Model: 1500 | 5-1500m |



VANTAGE

High TX LCD Display



| | | |
|--------|------------|--------|
| 41 200 | Model: 400 | 6-400m |
| 41 201 | Model: 600 | 6-600m |
| 41 202 | Model: 900 | 6-900m |

LRF

LCD Display



| | | |
|--------|------------|--------|
| 41 020 | Model: 400 | 6-400m |
| 41 022 | Model: 800 | 6-800m |

RING MOUNTS

A vast range of steel and aluminium rings and bases to suit your set-up.

Steel / Aluminium

1 Inch / 30mm / 34mm

Low / Medium / High / Extra High

Weaver / 9-11mm / $\frac{3}{8}$ inch

See hawekoptics.com for precise dimensions and specification.



PROFESSIONAL STEEL RING MOUNTS

Supplied with Lever & Nut



| | | | |
|--------|--------|--------|------------|
| 23 100 | Weaver | 1 Inch | Low |
| 23 101 | Weaver | 1 Inch | Medium |
| 23 102 | Weaver | 1 Inch | High |
| 23 103 | Weaver | 1 Inch | Extra High |
| 23 105 | Weaver | 30mm | Low |
| 23 106 | Weaver | 30mm | Medium |
| 23 107 | Weaver | 30mm | High |
| 23 108 | Weaver | 30mm | Extra High |



PRECISION STEEL RING MOUNTS

Supplied with Lever or Nut



| | | | | |
|--------|--------|--------|----------|--------|
| 23 000 | Weaver | 1 Inch | w/ Nut | Low |
| 23 001 | Weaver | 1 Inch | w/ Nut | Medium |
| 23 002 | Weaver | 1 Inch | w/ Nut | High |
| 23 005 | Weaver | 30mm | w/ Nut | Low |
| 23 006 | Weaver | 30mm | w/ Nut | Medium |
| 23 007 | Weaver | 30mm | w/ Nut | High |
| 23 010 | Weaver | 1 Inch | w/ Lever | Low |
| 23 011 | Weaver | 1 Inch | w/ Lever | Medium |
| 23 012 | Weaver | 1 Inch | w/ Lever | High |
| 23 015 | Weaver | 30mm | w/ Lever | Low |
| 23 016 | Weaver | 30mm | w/ Lever | Medium |
| 23 017 | Weaver | 30mm | w/ Lever | High |

CONT.

| | | | | |
|--------|--------|------|----------|--------|
| 23 020 | Weaver | 34mm | w/ Nut | Low |
| 23 021 | Weaver | 34mm | w/ Nut | Medium |
| 23 022 | Weaver | 34mm | w/ Nut | High |
| 23 030 | Weaver | 34mm | w/ Lever | Low |
| 23 031 | Weaver | 34mm | w/ Lever | Medium |
| 23 032 | Weaver | 34mm | w/ Lever | High |

CONT.



TACTICAL RING MOUNTS

Triple Screw



| | | | |
|--------|--------|--------|------------|
| 24 101 | 9-11mm | 1 Inch | Medium |
| 24 102 | 9-11mm | 1 Inch | High |
| 24 103 | 9-11mm | 1 Inch | Extra High |
| 24 106 | 9-11mm | 30mm | Medium |
| 24 107 | 9-11mm | 30mm | High |
| 24 108 | 9-11mm | 30mm | Extra High |
| 24 109 | 9-11mm | 34mm | Medium |
| 24 110 | 9-11mm | 34mm | High |
| 24 111 | Weaver | 1 Inch | Medium |
| 24 112 | Weaver | 1 Inch | High |
| 24 113 | Weaver | 1 Inch | Extra High |
| 24 116 | Weaver | 30mm | Medium |

CONT.

| | | | |
|--------|--------|------|------------|
| 24 117 | Weaver | 30mm | High |
| 24 118 | Weaver | 30mm | Extra High |
| 24 119 | Weaver | 34mm | Medium |
| 24 120 | Weaver | 34mm | High |

CONT.



TACTICAL CANTILEVER RING MOUNTS

Triple Screw



| | | | | |
|--------|--------|--------|------------|-----------|
| 24 130 | Weaver | 1 Inch | High (1pc) | 50mm Ext. |
|--------|--------|--------|------------|-----------|

| | | | | |
|--------|--------|------|------------|-----------|
| 24 135 | Weaver | 30mm | High (1pc) | 50mm Ext. |
|--------|--------|------|------------|-----------|



MATCH RING MOUNTS

Double Screw



| | | | |
|--------|--------|--------------|--------|
| 22 100 | 9-11mm | 1 Inch | Low |
| 22 101 | 9-11mm | 1 Inch | Medium |
| 22 102 | 9-11mm | 1 Inch | High |
| 22 107 | 9-11mm | 30mm | Medium |
| 22 108 | 9-11mm | 30mm | High |
| 22 104 | 9-11mm | 1 Inch (1pc) | Medium |
| 22 105 | 9-11mm | 1 Inch (1pc) | High |
| 22 111 | 9-11mm | 30mm (1pc) | High |
| 22 112 | Weaver | 1 Inch | Low |
| 22 113 | Weaver | 1 Inch | Medium |
| 22 114 | Weaver | 1 Inch | High |
| 22 115 | Weaver | 30mm | Low |

CONT.

| | | | |
|--------|--------|------|--------|
| 22 116 | Weaver | 30mm | Medium |
| 22 117 | Weaver | 30mm | High |

CONT.



EXTENSION RING MOUNTS

Double Screw



| | | | | |
|--------|--------|--------|------|-----------|
| 22 120 | 9-11mm | 1 Inch | High | 25mm Ext. |
| 22 121 | 9-11mm | 1 Inch | High | 50mm Ext. |
| 22 122 | 9-11mm | 30mm | High | 25mm Ext. |
| 22 123 | 9-11mm | 30mm | High | 50mm Ext. |
| 22 124 | Weaver | 1 Inch | High | 25mm Ext. |
| 22 125 | Weaver | 1 Inch | High | 50mm Ext. |
| 22 126 | Weaver | 30mm | High | 25mm Ext. |
| 22 127 | Weaver | 30mm | High | 50mm Ext. |

ADJUSTABLE RING MOUNTS

Double Screw



| | | | |
|--------|--------|------|------|
| 22 140 | 9-11mm | 30mm | High |
|--------|--------|------|------|



CAPS & INSERTS



| | |
|--------|---|
| 22 153 | 1 Inch Picatinny Ring Caps (Triple Screw) |
| 22 154 | 30mm Picatinny Ring Caps (Triple Screw) |
| 22 150 | 1 Inch Picatinny Ring Caps (Double Screw) |
| 22 151 | 30mm Picatinny Ring Caps (Double Screw) |
| 22 160 | 1 Inch Mount Inserts (25 MOA Elevation) |
| 22 161 | 30mm Mount Inserts (25 MOA Elevation) |

ADAPTOR BASES



| | |
|--------|---|
| 22 400 | 11mm/ $\frac{3}{8}$ " to Weaver (2pc) |
| 22 401 | 11mm/ $\frac{3}{8}$ " to Weaver |
| 22 402 | 11mm/ $\frac{3}{8}$ " to Weaver Ext. |
| 22 403 | $\frac{3}{8}$ " to Weaver w/ Elevation |
| 22 404 | $\frac{3}{8}$ " to Weaver Ext. w/ Elevation |
| 22 405 | $\frac{3}{8}$ " to Weaver (2pc) |
| 22 406 | Universal Weaver Base |



RISERS

BUBBLE LEVELS



- | | |
|--------|-----------------------------------|
| 22 410 | Picatinny to Picatinny Riser |
| 22 411 | Picatinny to Picatinny Riser Ext. |
| 22 415 | Red Dot Riser w/ Quick Release |



- | | |
|--------|---------------------|
| 64 100 | 9-11mm Bubble Level |
| 64 101 | Weaver Bubble Level |

ACCESSORIES

Improve your optics with official accessories from Hawke.

See hawkeoptics.com for dimensions and scope compatibility.



HONEYCOMB SUNSHADES



62 100 Objective: 24mm

62 101 Objective: 32mm

62 102 Objective: 32mm AO

62 114 Objective: 36mm

62 103 Objective: 40mm

62 104 Objective: 40mm AO

62 105 Objective: 42mm

62 107 Objective: 44mm

62 109 Objective: 50mm

62 110 Objective: 50mm AO

62112 Objective: 56mm

SUNSHADES



62 001 Objective: 32mm

62 002 Objective: 32mm AO

62 014 Objective: 36mm

62 003 Objective: 40mm

62 004 Objective: 40mm AO

62 005 Objective: 42mm

62 007 Objective: 44mm

62 009 Objective: 50mm

62 010 Objective: 50mm AO

62 012 Objective: 56mm

62 013 Objective: 60mm



PROFESSIONAL FLIP-UP COVERS



61 151 Ocular: 44mm Diameter

61 150 Ocular: 46mm Diameter

61 100 Objective: 24mm

61 107 Objective: 44mm

61 109 Objective: 50mm

61 112 Objective: 56mm

FLIP-UP COVERS



61 050 Ocular: Size 1

61 051 Ocular: Size 2

61 052 Ocular: Size 3

61 000 Objective: 24mm

61 001 Objective: 32mm

61 002 Objective: 32mm AO

61 014 Objective: 36mm

61 003 Objective: 40mm

61 004 Objective: 40mm AO

61 005 Objective: 42mm

61 007 Objective: 44mm

61 009 Objective: 50mm

CONT.



SIDE WHEELS

CONT.

61 010 Objective: 50mm AO

61 012 Objective: 56mm

61 013 Objective: 60mm



63 020 65mm Attachment: Type 4

63 021 65mm Attachment: Type 5

63 024 100mm Attachment: Type 4

63 025 100mm Attachment: Type 5

63 002 Pointer (Fits 30mm Tube)



LASERS & LED'S



- 43 111 Red Laser/LED Foregrip (Weaver)

- 43 110 Red Laser/LED (Weaver/1 Inch/30mm)

- 43 100 Red Laser Kit (Weaver/1 Inch)

BIPODS & RESTS



- 70 001 Fixed Bipod (6-9 Inch/15-23cm)

- 70 002 Fixed Bipod (9-13 Inch/23-33cm)

- 70 005 Tilt Bipod (6-9 Inch/15-23cm)

- 70 006 Tilt Bipod (9-13 Inch/23-33cm)

- 70 010 Swivel & Tilt Bipod (6-9 Inch/15-23cm)

- 70 011 Swivel & Tilt Bipod (9-13 Inch/23-33cm)

- 70 015 Barrel Mounted Bipod (9-11 Inch/23-28cm)

- 70 051 PCP Bottle Bipod Adaptor (50mm)

- 70 052 PCP Bottle Bipod Adaptor (60mm)

- 70 050 Weaver/Picatinny Bipod Adaptor

- 70 100 Pro Benchrest



NATURE



SYSTEM H7

UNPARALLELED OPTICAL PERFORMANCE

The ultimate APO, ED and HD optics contained in only our most advanced binoculars. The Best.

SYSTEM H5

IMMERSIVE ED OPTICS

High performance optical system with ED glass. The professional's choice.

FRONTIER

BINOCULARS

| | |
|---------------|----|
| FRONTIER APO | 56 |
| FRONTIER ED X | 57 |
| FRONTIER HD X | 57 |

ENDURANCE

BINOCULARS

| | |
|--------------|----|
| ENDURANCE ED | 58 |
| ENDURANCE | 59 |

MONOCULARS

| | |
|--------------|----|
| ENDURANCE ED | 59 |
|--------------|----|

SPOTTING SCOPES

| | |
|--------------|----|
| ENDURANCE ED | 64 |
|--------------|----|

SYSTEM H2

REDEFINING VALUE OPTICS

Our premium optics in a wide range of binoculars and scopes. Dependable, Accurate, Affordable.

NATURE-TREK

BINOCULARS

NATURE-TREK 60

MONOCULARS

NATURE-TREK 61

SPOTTING SCOPES

NATURE-TREK 66

VANTAGE

BINOCULARS

● VANTAGE 62

VANTAGE

SPOTTING SCOPES

VANTAGE 68

ACCESSORIES

DIGI-SCOPE ADAPTORS 70

TRIPODS & MOUNTING 71

● MERCHANDISE 72

FRONTIER SYSTEM H7

All Frontier models feature Hawke's H7 optics, offering stunning high definition viewing with incredible colour control and phase correction. High performance lens coatings and Dielectric Coated prisms ensure the highest level of light transmission.

The Frontier APO offers extreme clarity, flat field vision along with excellent chromatic aberration control for a stunning wide angle image.

APO & ED X models benefit from Extra-low Dispersion glass for controlled chromatic aberration and the elimination of colour fringing.

Extra-low Dispersion glass (APO & ED X only) / Dielectric Coatings / High resolution phase corrected BAK-4 roof prisms / Water repellent lens coatings / Magnesium alloy chassis / Focus from 2m / Replaceable twist-up eye cups with position stops / Stay-on lens covers / 1/4 inch tripod adapter thread

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



FRONTIER APO

APO Lenses | ED Glass | Dielectric Coating | Phase Corrected



| | | | | |
|--------|-------|-------|-----------|------|
| 38 510 | 8x42 | Green | FOV: 8.1° | 740g |
| 38 512 | 10x42 | Green | FOV: 7.1° | 740g |



FRONTIER ED X

ED Glass | Dielectric Coating | Phase Corrected



| | | | | |
|--------|-------|-------|-----------|------|
| 38 405 | 8x32 | Green | FOV: 7.7° | 540g |
| 38 406 | 8x32 | Grey | FOV: 7.7° | 540g |
| 38 407 | 10x32 | Green | FOV: 6.2° | 540g |
| 38 408 | 10x32 | Grey | FOV: 6.2° | 540g |
| 38 410 | 8x42 | Green | FOV: 8.1° | 725g |
| 38 411 | 8x42 | Grey | FOV: 8.1° | 725g |
| 38 412 | 10x42 | Green | FOV: 6.4° | 725g |
| 38 413 | 10x42 | Grey | FOV: 6.4° | 725g |

FRONTIER HD X

Dielectric Coating | Phase Corrected



| | | | | |
|--------|-------|-------|-----------|------|
| 38 005 | 8x32 | Green | FOV: 7.7° | 540g |
| 38 006 | 8x32 | Grey | FOV: 7.7° | 540g |
| 38 007 | 10x32 | Green | FOV: 6.2° | 540g |
| 38 008 | 10x32 | Grey | FOV: 6.2° | 540g |
| 38 010 | 8x42 | Green | FOV: 8.1° | 725g |
| 38 011 | 8x42 | Grey | FOV: 8.1° | 725g |
| 38 012 | 10x42 | Green | FOV: 6.4° | 725g |
| 38 013 | 10x42 | Grey | FOV: 6.4° | 725g |

ENDURANCE SYSTEM H5

Stunning optics providing crisp, clear and bright images with enhanced light transmission.

Endurance models benefit from our System H5 optics. ED glass is utilised to reduce colour fringing. The Fully Multi-Coated lenses provide high resolution images which ensure no details are lost when viewing at distances down to 2m.

Effortless focusing and impressive depth of field makes these binoculars quick and easy to use. Water and fog proof with a high grip rubber coated body, Endurance is designed to battle the elements.

Extra-low Dispersion glass (ED models) / High resolution phase corrected BAK-4 roof prisms / Focus from 2m / Twist-up eye cups with position stops / Stay-on lens covers / ¼ inch tripod adapter thread (excl. 25mm models)

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



ENDURANCE ED

ED Glass | Phase Corrected



| | | | | |
|--------|-------|-------|-----------|------|
| 36 200 | 8x32 | Black | FOV: 7.7° | 635g |
| 36 201 | 8x32 | Green | FOV: 7.7° | 635g |
| 36 202 | 10x32 | Black | FOV: 6.4° | 635g |
| 36 203 | 10x32 | Green | FOV: 6.4° | 635g |
| 36 204 | 8x42 | Black | FOV: 7.6° | 705g |
| 36 205 | 8x42 | Green | FOV: 7.6° | 705g |
| 36 206 | 10x42 | Black | FOV: 6.3° | 705g |
| 36 207 | 10x42 | Green | FOV: 6.3° | 705g |
| 36 208 | 10x50 | Black | FOV: 6° | 805g |
| 36 209 | 10x50 | Green | FOV: 6° | 805g |
| 36 210 | 12x50 | Black | FOV: 5.2° | 805g |
| 36 211 | 12x50 | Green | FOV: 5.2° | 805g |



ENDURANCE ED COMPACT

ED Glass | Phase Corrected



| | | | | |
|--------|-------|-------|-----------|------|
| 36 110 | 8x25 | Green | FOV: 6.8° | 310g |
| 36 111 | 10x25 | Green | FOV: 5.5° | 315g |

ENDURANCE ED MONOCULAR

ED Glass | Phase Corrected



| | | | | |
|--------|-------|-------|-----------|------|
| 36 310 | 8x25 | Green | FOV: 6.8° | 150g |
| 36 311 | 10x25 | Green | FOV: 5.5° | 152g |
| 36 320 | 8x42 | Green | FOV: 7.4° | 320g |
| 36 321 | 10x42 | Green | FOV: 5.8° | 325g |

ENDURANCE

Phase Corrected



| | | | | |
|--------|------|-------|-----------|-------|
| 36 220 | 8x56 | Green | FOV: 6.7° | 1005g |
|--------|------|-------|-----------|-------|

NATURE-TREK SYSTEM H2

An extensive range of binoculars in several configurations.

The Nature-Trek family utilises our System H2 optics produced in a shock resistant polycarbonate body, providing a robust yet lightweight package. The high grip rubber armour ensures a secure hold in all weather conditions.

Optics are crisp and clear with notable natural colour reproduction. The precise focusing wheel allows focussing down to 2m.

Nature-Trek offers a complete range of binoculars from the very portable 25mm models up to the oversized 50mm models, ideally suited to low light conditions where a large exit pupil diameter is required.

Fully multi-coated optics / High resolution phase corrected BAK-4 roof prisms / Focus from 2m / Twist-up eye cups with position stops / Stay-on lens covers / 1/4 inch tripod adapter thread (excl. 25mm models)

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



NATURE-TREK

Phase Corrected | Fully Multi-Coated



| | | | | |
|--------|-------|-------|-----------|------|
| 35 100 | 8x32 | Green | FOV: 7.4° | 521g |
| 35 101 | 10x32 | Green | FOV: 5.8° | 521g |
| 35 102 | 8x42 | Green | FOV: 7.4° | 638g |
| 35 103 | 10x42 | Green | FOV: 5.8° | 638g |
| 35 104 | 10x50 | Green | FOV: 5.8° | 829g |
| 35 105 | 12x50 | Green | FOV: 4.7° | 829g |



NATURE-TREK COMPACT

Fully Multi-Coated



| | | | | |
|--------|-------|-------|-----------|------|
| 35 051 | 8x25 | Green | FOV: 6.8° | 295g |
| 35 053 | 10x25 | Green | FOV: 5.5° | 295g |

NATURE-TREK MONOCULAR

Fully Multi-Coated



| | | | | |
|--------|-------|-------|-----------|------|
| 35 210 | 8x25 | Green | FOV: 6.8° | 145g |
| 35 211 | 10x25 | Green | FOV: 5.5° | 147g |
| 35 220 | 8x42 | Green | FOV: 7.4° | 315g |
| 35 221 | 10x42 | Green | FOV: 5.8° | 320g |

VANTAGE SYSTEM H2

Vantage binoculars feature our H2 optics and provide incredible value for money.

Built from a polycarbonate body with rubber armour, Vantage binoculars are lightweight and reliable with easy-to-use features that make them perfect for new nature enthusiasts or when shopping on a budget.

They are supplied with a comfortable neck strap and padded carry case for protection and storage.

Fully multi-coated optics / High resolution BAK-4 roof prisms / Focus from 2.5m / Twist-up eye cups with position stops / Stay-on lens covers / 1/4 inch tripod adapter thread

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty

VANTAGE

Fully Multi-Coated



| | | | | |
|----------|-------|-------|-----------|------|
| ● 34 122 | 8x42 | Green | FOV: 7° | 555g |
| ● 34 124 | 10x42 | Green | FOV: 5.8° | 550g |



ENDURANCE SYSTEM H5

Endurance ED spotting scopes provide the performance to get close to the action and the durability you demand.

All magnifications are constructed with ED glass reducing the potential for chromatic aberration. ED glass controls colour fringing and allows an improvement in clarity and crispness of the image, highly recommended by nature enthusiasts.

All lenses are Fully Multi-Coated and prisms Dielectric Coated for increased reflectivity. Endurance scopes feature a dual focus knob (coarse and fine), 3x ratio eyepieces with twist-up eye cups and retractable sunshades.

Choose from a range of full size scopes with 85mm or 68mm objectives or the compact design with 60mm or 50mm objectives.

All scopes are supplied with lens covers and stay-on soft cases.

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



ENDURANCE ED

ED Glass | Dielectric Coating



| | | | |
|--------|----------|---------------|-------|
| 56 201 | 20-60x68 | FOV: 2.1-1.1° | 1495g |
| 56 203 | 25-75x85 | FOV: 1.7-0.9° | 1825g |

56 203 SHOWN



ENDURANCE ED COMPACT

ED Glass | Dielectric Coating



56 193 13-39x50 FOV: 3.3-1.7° 830g

56 194 15-45x60 FOV: 2.8-1.5° 895g

56 193 SHOWN

NATURE-TREK SYSTEM H2

The Nature-Trek spotting scope family offers exceptional optical performance in a lightweight and waterproof modern design. A Fully Multi-Coated optical system combined with BAK-4 Porro prisms produce extremely clear and sharp images.

The 65mm and 80mm optical systems have been optimised for maximum performance while keeping the scope body short in length making them ideal for hiking and travel.

Featuring a rotating tripod band, retractable sunshade and stay-on cover for protection.

The ultra compact 56mm features barrel focussing with twist-up eye piece, delivering 27x magnification in a scope the size of your hand. Supplied with neoprene stay-on case.

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



NATURE-TREK

Fully Multi-Coated



| | | | |
|--------|----------|---------------|-------|
| 55 200 | 16-48x65 | FOV: 2.6-1.4° | 1185g |
| 55 201 | 20-60x80 | FOV: 2.1-1.1° | 1365g |

55 201 SHOWN



NATURE-TREK COMPACT

Fully Multi-Coated



55 210 9-27x56 FOV: 4.5-2.1° 575g

VANTAGE

Vantage spotting scopes are supplied with everything you need to get started. Available in a choice of 24-72x or 20-60x magnification, Vantage spotting scope kits are designed to enhance your viewing pleasure.

The tough rubber coating provides a waterproof body. Both Vantage spotting scopes are supplied with a hard storage case, soft scope cover and an adjustable mini tripod with integrated window mount.

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty

VANTAGE

Fully Multi-Coated



| | | | |
|--------|----------|---------------|-------|
| 51 100 | 20-60x60 | FOV: 2.2-1° | 795g |
| 51 101 | 24-72x70 | FOV: 1.6-0.8° | 1045g |

51 101 SHOWN



ACCESSORIES

Improve your optics with official accessories from Hawke.

See hawkeoptics.com for dimensions and compatibility.



DIGI-SCOPE ADAPTORS



64 026 Endurance ED 50mm, 60mm, 68mm & 85mm
Nature-Trek 65mm & 80mm

64 025 Nature-Trek Compact 56mm

64 024 Compact Camera – Small Ocular

64 027 Compact Camera – Large Ocular



SLR T2 CAMERA ADAPTORS



- 64 000 Nikon

- 64 001 Canon EOS

- 64 002 Pentax K

- 64 003 Minolta Maxxum

- 64 004 Sony Alpha

- 64 007 Olympus Micro 4/3

- 64 008 Fuji

- 64 010 Sony NEX-E

TRIPODS & MOUNTING



- 64 102 Adjustable Tripod (26-34cm)

- 64 103 Compact Tripod (24cm)

- 64 104 Binocular Tripod Mount

- 64 105 Spotting Scope Balance Plate

- 64 106 Spotting Scope Window Mount

MERCHANDISE

HATS



- 99 305 Black Mesh Snapback Cap

- 99 306 Grey/Black Mesh Snapback Cap

- 99 300 Black/Grey Distressed Cap

- 99 301 Grey/Orange Distressed Cap

- 99 302 Grey/Pink Distressed Cap

- 99 320 Black Cotton Twill Cap

- 99 321 Orange Cotton Twill Cap

- 99 322 Realtree Camp Cotton Twill Cap

- 99 360 Green Ripstop Cap

- 99 361 Black Ripstop Cap

- 99 340 Black Fleece Beanie

- 99 341 Grey Waffle Knit Beanie

T-SHIRTS



- 98 306 Black T-Shirt (S)

- 98 307 Black T-Shirt (M)

- 98 308 Black T-Shirt (L)

- 98 309 Black T-Shirt (XL)

- 98 310 Black T-Shirt (XXL)

- 98 311 Black T-Shirt (XXXL)

- 98 318 Olive T-Shirt (S)

- 98 319 Olive T-Shirt (M)

- 98 320 Olive T-Shirt (L)

- 98 321 Olive T-Shirt (XL)

- 98 322 Olive T-Shirt (XXL)

- 98 323 Olive T-Shirt (XXXL)

- 98 378 Black Polo-Shirt (S) - Male

- 98 379 Black Polo-Shirt (M) - Male

- 98 380 Black Polo-Shirt (L) - Male

- 98 381 Black Polo-Shirt (XL) - Male

RIFLESCOPE COVERS



- 99 210 Neoprene Scope Cover (23cm)
- 99 211 Neoprene Scope Cover (28cm)
- 99 212 Neoprene Scope Cover (33cm)
- 99 213 Neoprene Scope Cover (36cm)
- 99 214 Neoprene Scope Cover (38cm)
- 99 215 Neoprene Scope Cover (41cm)

BINOCULAR HARNESSSES



- 99 400 Binocular Harness Pro Pack
- 99 401 Binocular Harness Pack
- 99 402 Binocular Harness Strap

LENS CLEANING



- 98 237 Lens Cleaning Pen
- 98 026 Lens Cleaning Cloth

DRINKWARE



- 98 235 Black Coffee Mug





RS 14
EVOLUTION

Prices valid from January 2022



99009

EUROPE | REST OF WORLD

Avocet House, Wilford Bridge Road,
Melton, Woodbridge, Suffolk IP12 1RB, UK

t: +44 345 345 5555

e: export@hawkeoptics.com



www.hawkeoptics.com

 Born in the UK