




# Rico Series


Thermal Imaging Riflescopes

RL42 / RH50

 **Reticle  
Catalogue**



## Reticle Parameters




**Rico Series**  
Thermal Imaging Riflescope

Model	MOA		cm @100m	
	RL42	RH50	RL42	RH50
<b>Section A</b>	3.3	4.6	9.6	13.5
<b>Section B</b>	3.3	4.6	9.6	13.5
<b>Section C</b>	0.4	0.5	1.1	1.5



## Reticle Parameters




## Rico Series

Thermal Imaging Riflescope

Model	MOA		cm @100m	
	RL42	RH50	RL42	RH50
<b>Section A</b>	3.3	4.6	9.6	13.5
<b>Section B</b>	3.3	4.6	9.6	13.5
<b>Section C</b>	0.4	0.5	1.1	1.5
<b>Section D</b>	59.6	65	173.3	189
<b>Section E</b>	3.3	3.6	9.6	10.5



## Reticle Parameters




## Rico Series

Thermal Imaging Riflescope

Model	MOA		cm @100m	
	RL42	RH50	RL42	RH50
Section A	0.4	0.5	1.1	1.5
Section B	49.6	54.1	144.5	157.5
Section C	26.5	28.9	77	84
Section D	1.8	3.6	5.4	10.5



## Reticle Parameters




Model	MOA		cm @100m	
	RL42	RH50	RL42	RH50
<b>Section A</b>	3.3	4.6	9.6	13.5
<b>Section B</b>	3.3	4.6	9.6	13.5
<b>Section C</b>	0.4	0.5	1.1	1.5
<b>Section D</b>	3.3	3.6	9.6	10.5
<b>Section E</b>	69.5	75.8	202.2	220.5
<b>Section F</b>	33	36	96	105
<b>Section G</b>	3.3	3.6	9.6	10.5

**Rico Series**  
Thermal Imaging Riflescope



## Reticle Parameters



Model	MOA		cm @100m	
	RL42	RH50	RL42	RH50
<b>Section A</b>	3.3	4.6	9.6	13.5
<b>Section B</b>	3.3	4.6	9.6	13.5
<b>Section C</b>	0.4	0.5	1.1	1.5
<b>Section D</b>	26.5	29.4	77	85.5
<b>Section E</b>	79.4	86.6	231.1	252
<b>Section F</b>	0.4	0.5	1.1	1.5



**Rico Series**  
Thermal Imaging Riflescope





• **SCALABLE** •

**Reticle Parameters**  
(Apply to all magnifications)





Model	MOA		cm @100m	
	RL42	RH50	RL42	RH50
<b>Section A</b>	3.3	4.6	9.6	13.5
<b>Section B</b>	3.3	4.6	9.6	13.5
<b>Section C</b>	0.4	0.5	1.1	1.5
<b>Section D</b>	3.3	3.6	9.6	10.5
<b>Section E</b>	3.7	4.1	10.7	12
<b>Section F</b>	29.4	33	85.6	96
<b>Section G</b>	19.9	21.6	57.8	63
<b>Section H</b>	1.8	2.6	5.4	7.5

**Rico Series**  
Thermal Imaging Riflescope



• **SCALABLE** •

**Reticle Parameters**  
(Apply to all magnifications)



**Rico Series**  
Thermal Imaging Riflescope

Model	MOA		cm @100m	
	RL42	RH50	RL42	RH50
<b>Section A</b>	0.7	1	2.1	3
<b>Section B</b>	0.7	1	2.1	3
<b>Section C</b>	0.4	0.5	1.1	1.5
<b>Section D</b>	5.9(×1/×2/×4)/4.9(×3)	5.2	16(×1/×2/×4)/14.2(×3)	15
<b>Section E</b>	33.8(×1)/22.1(×2/×4) /19.5(×3)	31.4(×1)/20.6(×2/×3/×4)	98.4(×1)/64.2(×2/×4) /56.7(×3)	91.5(×1)/60(×2/×3/×4)
<b>Section F</b>	62.5(×1)/44.1(×2/×4) /39.3(×3)	58.2(×1)/41.2(×2/×3/×4)	181.9(×1)/128.7(×2/×4) /114.5(×3)	169.5(×1)/120(×2/×3/×4)
<b>Section G</b>	19.9	16.5	57.8	48